



Fall protection

# MAXIBLOC AN10010T2

## RETRACTABLE FALL ARRESTERS

Lightweight and compact self-retractable cable fall arrester for easy installation and use for distances of up to 10 metres



### Specific benefits



#### Performance

· Certification above the maximum rated load of 100 kg: product certified at 150 kg

### Applications

- Building
- Finishing works / Craftsmanship

### Certifications and norms



**EN360**

RFU 11.062  
150 KG



Fall protection

# MAXIBLOC AN10010T2

## RETRACTABLE FALL ARRESTERS

Lightweight and compact self-retractable cable fall arrester for easy installation and use for distances of up to 10 metres

### Standards - Details

### Technical details

Type of equipment	Cable reel
Composition of the main support	ABS (Acrylonitrile Butadiene Styrene), Galvanized steel
ARA lenght	10 m
ARA lenght	393.701 inch
Cable diameter	4 mm
Color	Black
Connector (user side)	Small hook, steel, opening 21 mm
SIZE	10 m
Benefits element	Fall indicator
Lifespan from manufacturing	20 years
Weight	3,75 kg
Maximum load for one person	150 kg
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface








Fall protection

# MAXIBLOC AN10010T2

## RETRACTABLE FALL ARRESTERS

Lightweight and compact self-retractable cable fall arrester for easy installation and use for distances of up to 10 metres

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN10010T2	Black	10 m	MAXIBLOC AN10010T2	3295249255237	13295249255234	1	1	3.5 kg	30.0 cm	17.0 cm	10.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height