



Fall protection

# FENNEC AN06320

## FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 20 metres



### Specific benefits



#### Easy to use

· NFC system guarantees traceability

### Applications

- Building
- Finishing works / Craftsmanship
- Maintenance

### Certifications and norms



EN353-2



Fall protection

# FENNEC AN06320

## FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 20 metres

### Standards - Details

### Technical details

Type of equipment	Stranded rope
Composition of the main support	Steel, Stainless steel, Polyamide
Maximum rope diameter	12 mm
Maximum rope diameter	0.4716 inch
Included elements	Wear indicator
Color	White
SIZE	20 m
Ending	1 loop spliced on high end
Lifespan from manufacturing	20 years
Weight	2,3 kg
Fall arrest work situations	Movement on lifeline, Long vertical movement or movement on inclined surface, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure



Fall protection

# FENNEC AN06320

## FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 20 metres

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN06320	White	20 m	FENNEC AN06320	3660348004251	13660348004258	5	1	13.9 kg