FENNEC AN06320

ANTICHUTE SUR CORDE

Fall protection



Specific benefits



Easy to use

· NFC system guarantees traceability

Applications

- Stavba
- Second work / craftman
- Vzdrževanje

Certifications and norms



EN353-2

Protects against risks







FENNEC AN06320

ANTICHUTE SUR CORDE

Fall protection

Standards - Details

Technical details

Type of equipment	Stranded rope
Composition of the main support	Steel, Stainless steel, Polyamide
Max. length (m)	20 m
Rope diameter (mm)	12,7
Included elements	Wear indicator
Color	Bela
SIZE	20 m
Ending	1 loop spliced on high end
Lifespan from manufacturing (let)	10
Weight (kg)	2,3
Fall arrest work situations	Movement on lifeline, Long vertical movement or movement on inclined surface, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure







FENNEC AN06320

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 20 metres

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
AN06320	White	20 m	FENNEC AN06320	3660348004251	13660348004258	5	1	13.9 kg	23.0 cm	76.0 cm	26.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height