



Fall protection

# AN245200PRR

## ENERGY ABSORBING LANYARDS

Double lanyard with dielectric energy absorber made of elastic webbing, allowing protection against electrical risks



### Specific benefits



#### Comfort

· Elastic strap lanyard for easy movement and safety



#### Hygiene

· Harnesses and textiles can be washed with neutral soap



#### Performance

· Certification above the maximum rated load of 100 kg; product certified at 140 kg

· Strap with improved abrasion resistance and certified for use on sharp edges



#### Easy to use

· Ergonomic design facilitating user movements

· Automatic carabiners for secure and time-saving locking

### Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

### Certifications and norms



EN355

### Protects against risks



Fall



Fall protection

# AN245200PRR

## ENERGY ABSORBING LANYARDS

Double lanyard with dielectric energy absorber made of elastic webbing, allowing protection against electrical risks

### Standards - Details

### Technical details

Type of equipment	Extensible webbing lanyard
Composition of the main support	Polyester, Steel with plastic overmolded
Length (m)	2
With connector	yes
Color	Black-Red
Connector (user side)	Small hook made of insulating material
SIZE	1.40 ► 2 m
Ending	2 sewn thimble loops
Connector (structure side)	2 big hooks made of insulating material
Lifespan from manufacturing (years)	10
Weight (kg)	1,9
Fall arrest work situations	Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
Lenght (ft)	6.5616



Fall protection

# AN245200PRR


## ENERGY ABSORBING LANYARDS

Double lanyard with dielectric energy absorber made of elastic webbing, allowing protection against electrical risks

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
-----------	--------	------	-------------	-------	----------	---	---	--------	---	---	---

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height