



Proteção anti-quedas

LO047150AD

CABOS

Correia de 1,5 metros com conector de grande abertura, para a máxima versatilidade e conexão em qualquer tipo de estrutura



Área de utilização

- Edificação
- Segunda obra / Artesão
- Manutenção
- Indústria química
- Petróleo e gás (extração)
- Indústria mineira

Certificações e normas



EN354

Protege contra



Queda



LO047150AD

CABOS

Proteção anti-quedas

Correia de 1,5 metros com conector de grande abertura, para a máxima versatilidade e conexão em qualquer tipo de estrutura

Detalhes - Normas

Detalhes técnicos

Tipo de equipamento	Corda trançada
Composição do suporte principal	Poliamida
Comprimento (m)	1,5
Diâmetro do cabo (mm)	10,5
Com conector	sim
Cor	Branco
Conector (lado do utilizador)	Gancho com bloqueio automático, aço, abertura 19 mm
SIZE	1,50 m
Acabamento	2 argolas engatadas costuradas
Conector (lado da estrutura)	1 gancho com bloqueio automático, aço, abertura 55 mm
Vida útil a partir do fabrico (anos)	10
Peso (Kg) (kg)	0,802
Situações de trabalho antiqueda	Resgate
Comprimento (ft)	4.9213








Fall protection

LO047150AD

LANYARDS

1.5 metre lanyard with large opening connector, for maximum versatility and connection to any type of structure

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LO047150AD	White	1.50 m	LO047150AD	3660348006354	13660348006351	5	1	4.6 kg	14.5 cm	38.0 cm	16.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height