



# LO047150AD

## FRÂNGHII

Mijloc de legătură de 1,5 metri cu conector cu deschidere mare, pentru versatilitate maximă și conectare la orice tip de structură

Protecție anticădere



### Aplicații

- Construcții
- Finisaje / Bricolaj
- Întreținere
- Industria chimică
- Petrol și gaz (extragere)
- Industria minieră

### Certificări și norme



EN354



# LO047150AD

## FRÂNGHII

Mijloc de legătură de 1,5 metri cu conector cu deschidere mare, pentru versatilitate maximă și conectare la orice tip de structură

Protecție anticădere

### Detalii - Norme

### Detalii tehnice

Tip de echipament	Frânghie din coardă împletită
Compoziția suportului principal	Poliamidă
Lungime	1,5 m
Diametrul corzii	10,5 mm
Cu conector	da
Culoare	Alb
Conector (partea utilizatorului)	Cârlig cu autoblocare, oțel, deschidere 16 mm
SIZE	1,50 m
Capăt	2 bucle cusute cu conector
Conector (partea structurii)	1 cârlig cu autoblocare, oțel, deschidere 55 mm
Perioada de valabilitate de la fabricare	10 ani
Greutate (kg)	0,802 kg
Situații de muncă cu protecție de oprire a căderii	Limitare








Fall protection

# LO047150AD

## LANYARDS

1.5 metre lanyard with large opening connector, for maximum versatility and connection to any type of structure

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LO047150AD	White	1.50 m	LO047150AD	3660348006354	13660348006351	5	1	4.6 kg	14.5 cm	38.0 cm	16.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height