



Düşme önleme

LO047150AD

HALATLAR

Maksimum çok yönlülük ve her türlü yapıya bağlantı için büyük açılış konektörlü 1,5 metrelik kordon

Uygulamalar

- Yapı
- İkinci iş / Zanaatkarlar
- Bakım
- Kimya endüstrisi
- Petrol ve Gaz (çıkarma)
- Maden endüstrisi



Sertifikalar ve standartlar



EN354



Düşme önleme

LO047150AD

HALATLAR

Maksimum çok yönlülük ve her türlü yapıya bağlantı için büyük açılış konektörlü 1,5 metrelik kordon

Detaylar - Standartlar

Ürün bilgileri

Ekipman Türü	Örgülü halat
Ana destek yapısı	Poliamid
Uzunluk	1,5 m
Halat çapı	10,5 mm
Konektör ile	evet
Renk	Beyaz
Konektör (kullanıcı tarafı)	Kendinden kilitli kanca, çelik, açıklık 16 mm
SIZE	1.50 m
Bitiş	2 adet dikilmiş yüksük ilmek
Konnektör (yapı tarafı)	1 automatic lock hook, steel, opening 55 mm
Üretimden itibaren raf ömrü	10 yıllar
Ağırlık (kg)	0,802 kg
Düşmeye karşı çalışma koşulları	Kısıtlayıcı








Fall protection

LO047150AD

LANYARDS

1.5 metre lanyard with large opening connector, for maximum versatility and connection to any type of structure

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LO047150AD	White	1.50 m	LO047150AD	3660348006354	13660348006351	5	1	4.6 kg	14.5 cm	38.0 cm	16.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height