



Fall protection

X-TREM LIGHT HAR22X

FALL ARRESTER HARNESSES

The lightest innovative harness on the market with no metal parts



Specific benefits



Hygiene

· Harnesses and textiles can be washed with neutral soap



Performance

· Certification above the maximum rated load of 100 kg; product certified at 150 kg



Easy to use

· Ergonomic design facilitating user movements
· NFC system guarantees traceability

Certifications and norms



EN361

150 KG

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive

Protects against risks



Fall



X-TREM LIGHT HAR22X

FALL ARRESTER HARNESSSES

The lightest innovative harness on the market with no metal parts

Fall protection

Standards - Details

Technical details

| | |
|--|--|
| Type of equipment | Fall arrester harness |
| Composition of the main support | Polyester, Steel with plastic overmolded |
| Fastening | Buckles |
| Number of attachment points | 2 |
| Buckles | Manual loop |
| Anti-fall point | Dorsal, Sternal |
| Color | Black |
| SIZE | S/M/L |
| Comfort elements | Plastic back brace |
| Size | S/M/L, XL/XXL |
| Benefits element | Comfort |
| Lifespan from manufacturing (years) | 10 |
| Weight (kg) | 0,580 |
| Number of manual buckles | 2 |
| Number of fall arrest anchorage points | 2 |
| Sternal | 1 |
| Dorsal | 1 |
| Fall arrest work situations | Vertical movement on a permanent structure, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection |








X-TREM LIGHT HAR22X

FALL ARRESTER HARNESES

The lightest innovative harness on the market with no metal parts

Fall protection

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------|--------|---------------------|---------------|----------------|---|---|--------|---|---|---|
| HAR22XGT | Black | S/M/L | X-TREM LIGHT HAR22X | 3295249285715 | 13295249285712 | 5 | 1 | 4.0 kg | 29.6 cm | 45.0 cm | 18.2 cm |
| HAR22XXX | Black | XL/XXL | X-TREM LIGHT HAR22X | 3295249286156 | 13295249286153 | 5 | 1 | 4.1 kg | 29.6 cm | 46.4 cm | 18.2 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height