

X-TREM LIGHT HAR22X

HARNAIS ANTICHUTE

The lightest innovative harness on the market with no metal parts



Specific benefits



Hygiene

· Harnesses and textiles can be washed with neutral soap



Performance

 \cdot Certification above the maximum rated load of 100 kg: product certified at 150 kg



Easy to use

- · Ergonomic design facilitating user movements
- · NFC system guarantees traceability

Applications

- Kmetijstvo
- · Javna dela
- Stavba
- · Second work / craftman
- Vzdrževanje
- Avtomobilska

Certifications and norms



EN361 150 KG







X-TREM LIGHT HAR22X

HARNAIS ANTICHUTE

The lightest innovative harness on the market with no metal parts

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main	Polyester, Steel with plastic
support	overmolded
Fastening	Buckles
Number of fall arrest attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Color	Črna
SIZE	S/M/L
Comfort elements	Plastic back brace
Velikost	S/M/L, XL/XXL
Benefits element	Comfort
Lifespan from manufacturing	10 let
Weight	0,580 kg
Number of manual buckles	2
Number of fall arrest anchorage points	2
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection





X-TREM LIGHT HAR22X

FALL ARRESTER HARNESSES

HAR22X

The lightest innovative harness on the market with no metal parts

Logistics information Reference Colour Size Designation EAN13 Box code Weight X-TREM LIGHT HAR22X 18.2 4.0 kg HAR22XGT Black S/M/L 3295249285715 13295249285712 cm X-TREM LIGHT 29.6 46.4 18.2 HAR22XXX Black XL/XXL 3295249286156 13295249286153 5 4.1 kg

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height

cm