



TR00630

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Fall protection



Applications

- Kmetijstvo
- Javna dela
- Second work / craftman
- Kemična industrija
- Avtomobilska
- Nafta in plin (pridobivanje)

Certifications and norms



2006/42/EEC

EN1496

CLASS B
150 KG

Protects against risks



Fall



TR00630

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Fall protection

Standards - Details

Technical details

Type of equipment	Manual winch
Composition of the main support	ABS (Acrylonitrile Butadiene Styrene), Galvanized steel
Max. length (m)	30
Length (m)	30
Included elements	Non-return system
Color	Črna
Connector (user side)	Automatic lock hook, steel, opening 22mm
Lifespan from manufacturing (let)	20
Weight (kg)	8,1
Length (ft)	98.4241








TR00630

FALL ARREST AND RESCUE, CONFINED SPACE

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TR00630	Black	30 m	TR00630	3295249265533	13295249265530	1	1	15.5 kg	47.0 cm	28.0 cm	20.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height