



PROTECTOR TETRA AN15010T

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Namatač s automatskim uvlačenjem kabla, za kretanje na udaljenosti do 10 m

Oprema protiv pada



Prednosti

performanse

· Certificirano za maksimalno nazivno opterećenje veće od 100 kg:
proizvod certificiran za 150 kg

Jednostavnost korištenja

· Automatski karabineri za sigurno zaključavanje i uštedu vremena
· Ručka za lakše nošenje
· NFC sustav koji jamči sljedivost

Trajnost

· ABS kućište otporno na udarce

Vidljivost

· Vizualni pokazivač za sprječavanje pada omogućuje trenutnu provjeru
pravilnog funkcioniranja proizvoda

Područje upotrebe

- Zgrada
- Održavanje
- Kemijska industrija
- Petrokemija
- Skladištenje

Certifikati i standardi



EN360

RFU 11.062
150 KG

Štiti od



Pad



PROTECTOR TETRA AN15010T

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Namatač s automatskim uvlačenjem kabla, za kretanje na udaljenosti do 10 m

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Kalem za namatanje sajle
Sastav glavnog nosača	ABS (akrilonitril butadien stiren), Pocinčani čelik
ARA duljina (m)	10
ARA duljina (inch)	393.701
Promjer sajle (mm)	4
Priložene stavke	Amortizacija pada
Boja	Narančasta
Spona (na strani korisnika)	Mala kuka, čelik, otvor 21 mm
SIZE	10 m
Dodatna pogodnost	Indikator pada
Vijek upotrebe nakon datuma proizvodnje (godine)	20
Težina (kg) (kg)	5,3
Najveće dopušteno opterećenje je za jednu osobu (kg)	150
Radne situacije za zaštitu od pada	Vertikalno kretanje na fiksnoj strukturi, Dugotrajno vertikalno kretanje ili kretanje na kosoj podlozi
Sustav za blokiranje	Inercijski sustav za blokiranje








PROTECTOR TETRA AN15010T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 10 metres

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN15010T	Orange	10 m	PROTECTOR TETRA AN15010T	3295249195557	13295249195554	1	1	6.0 kg	39.0 cm	28.0 cm	14.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height