



PROTECTOR LARGE AN18030T

ANTICHUTE À RAPPEL AUTOMATIQUE

Fall protection



Specific benefits



Comfort

- Double swivel for optimum user tracking



Performance

- Certification above the maximum rated load of 100 kg; product certified at 150 kg
- Double swivel design for optimum user tracking and improved rewinding of the strap in the housing



Easy to use

- Automatic carabiners for secure and time-saving locking
- NFC system guarantees traceability



Durability

- Impact-resistant ABS housing

Applications

- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Petrokemija
- Shranjevanje

Certifications and norms



EN360

RFU 11.062
150 KG

Protects against risks



Fall



PROTECTOR LARGE AN18030T

ANTICHUTE À RAPPEL AUTOMATIQUE

Fall protection

Standards - Details

Technical details

Type of equipment	Cable reel
Composition of the main support	ABS (Acrylonitrile Butadiene Styrene), Galvanized steel
ARA length (m)	30
ARA length (inch)	1181.103
Cable diameter (mm)	5
Included elements	Included energy absorber
Color	Črna-Rdeča
Connector (user side)	Small hook, steel, opening 21 mm
SIZE	30 m
Benefits element	Fall indicator
Lifespan from manufacturing (let)	20
Weight (kg)	12,35
Maximum load for one person (kg)	150
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface, Long horizontal movement on vertical structure
Locking system	Inertia locking system








Fall protection

PROTECTOR LARGE AN18030T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester with carrying handle for easy transport and installation, for lengths of 30 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN18030T	Black-Red	30 m	PROTECTOR LARGE AN18030T	3295249233839	13295249233836	1	1	13.4 kg	27.8 cm	46.0 cm	19.8 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height