



坠落防护

PROTECTOR LARGE AN18020T

可伸缩防坠落装置

自动收缩式防坠制动器，配有手提带，便于运输和安装，长度为20m



具体优势



舒适性

· 双旋转挂钩，实现最佳用户跟踪



高性能

· 认证的最大额定负载在100kg以上：产品认证在150kg以下



易用性

· 自动锁扣保证安全，节省锁定时间

· 携带手柄，便于运输

· NFC系统保证可追溯性



耐用性

· 抗冲击ABS外壳

应用行业

- 建筑业
- 终饰工程/工艺
- 维修业
- 化工业
- 石油化工
- 仓储

标准和认证



EN360

RFU 11.062
150 KG

防范风险



坠落



enjoy safety.

编辑 05/11/2024
www.deltaplus.com.cn



坠落防护

PROTECTOR LARGE AN18020T

可伸缩防坠落装置

自动收缩式防坠制动器，配有手提带，便于运输和安装，长度为20m

详细信息 - 标准

技术细节

装备类型	钢缆卷轴
主要支架的组成	ABS, 镀锌钢
ARA长度 (m)	20
ARA长度 (inch)	787.402
绳索直径 (mm)	5
包含配件	包含能量吸收器
颜色	黑色-红色
连接器 (用户方)	小钩, 钢制, 开口21mm
SIZE	20米
产品优势	坠落指示器
自生产之日起的产品寿命 (年)	20
重量 (kg)	11,5
一人最大载重量 (kg)	150
防坠落作业类型	永久性建筑上的垂直移动, 长距离垂直移动或倾斜表面上的移动, 垂直结构上的长距离水平移动
锁定系统	惯性锁定系统



Fall protection

PROTECTOR LARGE AN18020T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester with carrying handle for easy transport and installation, for lengths of 20 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN18020T	Black-Red	20 m	PROTECTOR LARGE AN18020T	3295249230258	13295249230255	1	1	15.5 kg	47.0 cm	28.0 cm	20.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height