



Oprema protiv pada

MEDBLOC AN13006C2

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Namatač s automatskim uvlačenjem trake za okomitu i vodoravnu uporabu, za kretanje na udaljenosti do 6 m



Prednosti



Higijena

· Mogućnost pranja pojaseva i tkanine neutralnim sapunom



Jednostavnost korištenja

· NFC sustav koji jamči sljedivost



Vidljivost

· Vizualni pokazivač za sprječavanje pada omogućuje trenutnu provjeru pravilnog funkcioniranja proizvoda

Certifikati i standardi



EN360

RFU 10.060
CERTIFIKAT ZA HORIZONTALNO KORIŠTENJE
RFU 11.062
128 KG

Područje upotrebe

- Javni radovi
- Pomoćni poslovi / Obrtništvo
- Automobilska
- Nafta i plin (vađenje)
- Energija
- Skladištenje

Štiti od



Pad



MEDBLOC AN13006C2

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Namatač s automatskim uvlačenjem trake za okomitu i vodoravnu uporabu, za kretanje na udaljenosti do 6 m

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Kalem za namatanje remena
Sastav glavnog nosača	ABS (akrilonitril butadien stiren), Poliester
Širina remena (mm)	25
ARA duljina (m)	6
ARA duljina (inch)	236.2206
Boja	Crna
Spona (na strani korisnika)	Mala kuka, čelik, otvor 21 mm
SIZE	6 m
Dodatna pogodnost	Indikator pada
Vijek upotrebe nakon datuma proizvodnje (godine)	10
Težina (kg) (kg)	1,6
Najveće dopušteno opterećenje je za jednu osobu (kg)	128
Radne situacije za zaštitu od pada	Vertikalno kretanje na fiksnoj strukturi, Dugotrajno vertikalno kretanje ili kretanje na kosoj podlozi, Dugotrajno horizontalno kretanje na horizontalnoj podlozi, Dugotrajno horizontalno kretanje na vertikalnoj podlozi








Fall protection

MEDBLOC AN13006C2

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for distances of up to 6 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN13006C2	Black	6 m	MEDBLOC AN13006C2	3295249264949	13295249264946	5	1	11.7 kg	23.0 cm	29.0 cm	50.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height