



DAYAK LV120G

NAPRAVE ZA UČVRŠĆENJE

Nosiva šipka za sidrenje, osigurava 2 osobe, jednostavno se postavlja

Oprema protiv pada

Područje upotrebe

- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Rudarska industrija
- Skladištenje



Certifikati i standardi



EN 795

TIP B

TS16415

2



DAYAK LV120G

NAPRAVE ZA UČVRŠĆENJE

Nosiva šipka za sidrenje, osigurava 2 osobe, jednostavno se postavlja

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Naprava za učvršćenje okvira vrata/prozora
Sastav glavnog nosača	Pocinčani čelik
Maks. duljina	1,35 m
Boja	Boja čelika
SIZE	Podesiva
Vijek upotrebe nakon datuma proizvodnje	20 godine
Težina (kg)	5,99 kg
Namjena	Za vrata i prozore od 63 do 123 cm
Radne situacije za zaštitu od pada	Zadržavanje, Dugotrajno horizontalno kretanje na horizontalnoj podlozi, Kratkotrajno horizontalno kretanje (- 3m)








DAYAK LV120G

ANCHORAGE DEVICES

Anchoring bar for doors to secure 2 people, easy to install

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LV120G	Steel	Adjustable	DAYAK LV120G	3295249182267	13295249182264	1	1	6.3 kg	16.0 cm	144.0 cm	16.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height