



Fall protection

LV105

ANCHORAGE DEVICES

Stainless steel anchorage rod for sealing to prevent corrosion



Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

Certifications and norms



EN 795
TYPE A

Risk Protection



Fall



Fall protection

LV105

ANCHORAGE DEVICES

Stainless steel anchorage rod for sealing to prevent corrosion

Standards - Details

Technical details

Type of equipment	Stainless steel eyebolt
Composition of the main support	Stainless steel
Length (m)	0,14
Color	Steel
Lifespan from manufacturing (years)	20
Weight (kg)	0,174
Breaking Strength (Kn)	12kN
Fall arrest work situations	Restraint, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)
Diameter (mm)	12
Lenght (ft)	0.4594








LV105

ANCHORAGE DEVICES

Stainless steel anchorage rod for sealing to prevent corrosion

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LV105	Steel	One size	LV105	3660348006170	13660348006177	10	1	2.6 kg	34.5 cm	11.5 cm	14.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height