



Proteção anti-quedas

# TRA32

ANTI-QUEDA E SALVAMENTO, ESPAÇO CONFINADO

Tripé de alumínio até 3 metros, com 2 placas de suporte, leve e fácil de instalar para qualquer tipo de trabalho em espaços fechados



## Aplicação

- Edifício
- Acabamento / artesãos
- Manutenção
- Indústria química
- Petróleo e gás (extração)
- Indústria de mineração

## Certificações e normas



EN 795

TIPO B

TS16415

3

## Proteção contra riscos



Queda



Proteção anti-queda

# TRA32

## ANTI-QUEDA E SALVAMENTO, ESPAÇO CONFINADO

Tripé de alumínio até 3 metros, com 2 placas de suporte, leve e fácil de instalar para qualquer tipo de trabalho em espaços fechados

### Detalhes - Normas

### Detalhes técnicos

Tipo de equipamento	Tripé telescópico
Dispositivo de ancoragem	Tripé
Composição do suporte principal	Alumínio
Comprimento máximo (m)	3,02
Comprimento mínimo (m)	1,75
Cor	Prata
SIZE	Ajustável
Vida útil desde a fabricação (anos)	20
Peso (Kg) (kg)	22,2
Distância entre eixos no solo (m)	2,62
Número máximo de usuários	3
Situações de trabalho antiqueda	Salvamento e evacuação, "Deslocações verticais, espaços confinados"








Fall protection

# TRA32

## FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 3 metres, with 2 support plates, light and easy to install for all types of work in confined spaces

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TRA32	Aluminium-coloured	Adjustable	TRA32	3295249194178	13295249194175	1	1	29.35 kg	212.0 cm	24.0 cm	29.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height