



# TRA22

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Fall protection



## Applications

- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Nafta in plin (pridobivanje)
- Rudarska industrija

## Certifications and norms



EN 795  
TYPE B

TS16415  
3

## Protects against risks



Fall



# TRA22

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Fall protection

## Standards - Details

## Technical details

Type of equipment	Telescopic tripod
Anchoring device	Tripod
Composition of the main support	Aluminum
Max. length (m)	1,97
Min. length (m)	1,25
Color	Aluminij
SIZE	Nastavljiva velikost
Lifespan from manufacturing (let)	20
Weight (kg)	17,4
Wheelbase on ground (m)	1,89
Not included	TRA103 step
Fall arrest work situations	Rescue and evacuation, Vertical movement, confined space








Fall protection

# TRA22

## FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, with 2 support plates, light and easy to install for all types of work in confined spaces

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TRA22	Aluminium-coloured	Adjustable	TRA22	3295249194093	13295249194090	1	1	23.75 kg	150.5 cm	30.5 cm	28.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height