



Fall protection

EX220

FALL ARRESTER HARNESSSES

Wide positioning belt for increased comfort when working at a height for long periods



Specific benefits



Hygiene

· Harnesses and textiles can be washed with neutral soap



Performance

· Certification above the maximum rated load of 100 kg; product certified at 150 kg



Easy to use

· Ergonomic design facilitating user movements
· NFC system guarantees traceability

Certifications and norms



EN358

150 KG

Applications

- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Mining
- Petrochemical

Protects against risks



Fall



Fall protection

EX220

FALL ARRESTER HARNESSSES

Wide positioning belt for increased comfort when working at a height for long periods

Standards - Details

Technical details

Type of equipment	Positioning belt
Composition of the main support	Galvanized steel, Steel, Polyester
Adjustment	Adjustment loop
Fastening	Velcro tape closure
Number of total holding attachment points	2
Holding point	Belt
Color	Black-Orange
Comfort elements	Thermoformed back closed with sponge
Size	S, M, L , XL, XXL
Lifespan from manufacturing (years)	10
Weight (kg)	0,712
Padding	Back, Belt
Use	180° rotation
Fall arrest work situations	Work positioning, Restraint








Fall protection

EX220


FALL ARRESTER HARNESSSES

Wide positioning belt for increased comfort when working at a height for long periods

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
EX220GT	Black-Orange	S/M/L	EX220	3295249183097	13295249183094	5	1	4.82 kg	23.0 cm	80.0 cm	15.0 cm
EX220XX	Black-Orange	XL/XXL	EX220	3295249183103	13295249183100	5	1	5.3 kg	25.2 cm	72.6 cm	18.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height