



Fall protection

# JAGUAR 2 HAR36R

## FALL ARRESTER AND SUSPENSION HARNESSSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker



### Specific benefits



#### Comfort

· 3D comfort foam integrated into harnesses, providing comfort and breathability for extended use



#### Hygiene

· Detachable comfort foam for easy cleaning  
· Harnesses and textiles can be washed with neutral soap



#### Performance

· Certification above the maximum rated load of 100 kg; product certified at 150 kg



#### Visibility

· Visual fall indicator for instant verification that the product is working properly

### Applications

- Public works
- Finishing works / Craftsmanship
- Chemical industry
- Automotive
- Oil & Gas (extraction)
- Mining

### Certifications and norms



EN361

150 KG

EN813

150 KG

EN358



Fall protection

# JAGUAR 2 HAR36R

## FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker

### Standards - Details

### Technical details

|   |   |
|---|---|
| Type of equipment                         | Fall arrest, support and suspension harnesses   |
| Composition of the main support           | Aluminum, Polyester   |
| Fastening                                 | Buckles   |
| Number of fall arrest attachment points   | 2   |
| Number of total suspension points         | 1   |
| Number of total holding attachment points | 2   |
| Buckles                                   | Automatic loop  |
| Anti-fall point                           | Dorsal, Sternal   |
| Holding point                             | Belt  |
| Color                                     | Grey-Yellow   |
| Comfort elements                          | "Soft padding" on shoulders and thigh strap   |
| Size                                      | S/M/L, XL/XXL   |
| Benefits element                          | Comfort, Fall indicator   |
| Lifespan from manufacturing               | 10 years  |
| Number of non-removable buckles           | 5   |
| Weight                                    | 2,7 kg  |
| Number of manual buckles                  | 2   |
| Number of automatic loops                 | 2   |
| Number of fall arrest anchorage points    | 2   |
| Padding                                   | Back, Belt, Leg, Shoulder   |
| Use                                       | 120° rotation   |
| Fall arrest work situations               | Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on |










Fall protection

# JAGUAR 2 HAR36R


## FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker

### Logistics information

| Reference | Colour      | Size   | Designation     | EAN13         | Box code       |  |  | Weight  |  |  |  |
|-----------|-------------|--------|-----------------|---------------|----------------|---|---|---------|---|---|---|
| HAR36RPT  | Grey-Yellow | S      | JAGUAR 2 HAR36R | 3295249270223 | 13295249270220 | 5   | 1   | 16.1 kg | 27.2 cm   | 81.4 cm   | 40.6 cm   |
| HAR36RGT  | Grey-Yellow | M/L    | JAGUAR 2 HAR36R | 3295249265601 | 13295249265608 | 5   | 1   | 16.3 kg | 25.0 cm   | 80.0 cm   | 38.0 cm   |
| HAR36RXX  | Grey-Yellow | XL/XXL | JAGUAR 2 HAR36R | 3295249265694 | 13295249265691 | 5   | 1   | 16.5 kg | 25.0 cm   | 80.0 cm   | 38.0 cm   |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height