



Fall protection

# JAGUAR 2 HAR36R

## FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker



### Specific benefits



#### Comfort

· 3D comfort foam integrated into harnesses, providing comfort and breathability for extended use



#### Hygiene

· Detachable comfort foam for easy cleaning  
· Harnesses and textiles can be washed with neutral soap



#### Performance

· Certification above the maximum rated load of 100 kg; product certified at 150 kg



#### Visibility

· Visual fall indicator for instant verification that the product is working properly

### Applications

- Public works
- Finishing works / Craftsmanship
- Chemical industry
- Automotive
- Oil & Gas (extraction)
- Mining

### Certifications and norms



EN361

150 KG

EN813

150 KG

EN358

### Protects against risks



Fall



Fall protection

# JAGUAR 2 HAR36R

## FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker

### Standards - Details

### Technical details

Type of equipment	Fall arrest, support and suspension harnesses
Composition of the main support	Aluminum, Polyester
Fastening	Buckles
Number of attachment points	2
Number of total suspension points	1
Number of total holding attachment points	2
Buckles	Automatic loop
Anti-fall point	Dorsal, Sternal
Holding point	Belt
Color	Grey-Yellow
Comfort elements	"Soft padding" on shoulders and thigh strap
Size	S/M/L, XL/XXL
Benefits element	Comfort, Fall indicator
Lifespan from manufacturing (years)	10
Number of non-removable buckles	5
Weight (kg)	2,7
Number of manual buckles	2
Number of automatic loops	2
Number of fall arrest anchorage points	2
Padding	Back, Belt, Leg, Shoulder
Use	120° rotation
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on










Fall protection

# JAGUAR 2 HAR36R


## FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAR36RPT	Grey-Yellow	S	JAGUAR 2 HAR36R	3295249270223	13295249270220	5	1	16.1 kg	27.2 cm	81.4 cm	40.6 cm
HAR36RGT	Grey-Yellow	M/L	JAGUAR 2 HAR36R	3295249265601	13295249265608	5	1	16.3 kg	25.0 cm	80.0 cm	38.0 cm
HAR36RXX	Grey-Yellow	XL/XXL	JAGUAR 2 HAR36R	3295249265694	13295249265691	5	1	16.5 kg	25.0 cm	80.0 cm	38.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height