



Fall protection

# SPIRAL AN208S200AD

## ENERGY ABSORBING LANYARDS

Compact, energy-absorbing lanyard with patented system guaranteeing freedom of movement for short distances



### Specific benefits



#### Hygiene

· Harnesses and textiles can be washed with neutral soap



#### Performance

· Certification above the maximum rated load of 100 kg; product certified at 140 kg  
· Strap with improved abrasion resistance and certified for use on sharp edges



#### Durability

· Thermo-retractable tube to extend the life of lanyards

### Certifications and norms



**EN355**

HORIZONTAL CERTIFICATION  
RFU 11.062  
140 KG

### Applications

- Public works
- Finishing works / Craftsmanship
- Automotive
- Power Energy
- Storage

### Protects against risks



Fall



Fall protection

# SPIRAL AN208S200AD

## ENERGY ABSORBING LANYARDS

Compact, energy-absorbing lanyard with patented system guaranteeing freedom of movement for short distances

### Standards - Details

### Technical details

Type of equipment	Braided rope lanyard with thermoformable sheath
Composition of the main support	Steel, Polyamide, Polyester
Length (m)	2
Rope diameter (mm)	10,5
With connector	yes
Color	White-Black
Connector (user side)	Automatic lock hook, steel, opening 19mm
SIZE	2 m
Benefits element	Leading edge
Ending	2 sewn thimble loops
Connector (structure side)	1 automatic lock hook, steel, opening 55 mm
Lifespan from manufacturing (years)	10
Weight (kg)	1,27
Fall arrest work situations	Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m)
Lenght (ft)	6.5616








Fall protection

# SPIRAL AN208S200AD

## ENERGY ABSORBING LANYARDS

Compact, energy-absorbing lanyard with patented system guaranteeing freedom of movement for short distances

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN208S200AD	White-Black	2 m	SPIRAL AN208S200AD	3295249265069	13295249265066	5	1	7.41 kg	29.5 cm	45.5 cm	17.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height