



# HAR22HA

## 防坠落安全带

坠落防护



### 具体优势

#### 舒适性

· 特别设计的腿部织带环，让使用者在长时间的工作中便于自由移动

#### 卫生环保

· 系带和织物面料可用中性肥皂洗涤

#### 高性能

· 认证的最大额定负载在100kg以上：产品认证在150kg以下

#### 易用性

· 人体工程学设计，方便用户移动

· 自锁环，优化安装，安全锁定

· NFC系统保证可追溯性

### 标准和认证



EN361

150 KG

### 应用行业

- 农业
- 建筑业
- 终饰工程/工艺
- 维修业
- 化工业
- 汽车业

### 防范风险



坠落



enjoy safety.

编辑 06/11/2024  
www.deltaplus.com.cn



# HAR22HA

## 防坠落安全带

坠落防护

### 详细信息 - 标准

### 技术细节

装备类型	防坠落安全带
主要支架的组成	钢, 支撑材料/聚酯纤维
收紧方式	锁扣收紧
防坠落装置的挂点总数	2
扣环	自动环扣
防坠挂点	背部挂点, 胸部挂点
颜色	黑色
尺寸	S/M/L, XL/XXL
产品优势	坠落指示器
自生产之日起的产品寿命(年)	10
重量(kg)	1,5
手动搭扣数量	5
防坠落锚点数量	2
Sternal	1
Dorsal	1
防坠落作业类型	永久性建筑上的垂直移动, 生命线上的移动, 长距离垂直移动或倾斜表面上的移动, 短距离垂直移动或倾斜表面上的移动(小于3米), 垂直移动, 有限空间, 水平表面上的长距离水平移动, 垂直结构上的长距离水平移动, 短距离水平移动(小于3米), 具有多重连接/断开功能的长距离移动



Fall protection

# HAR22HA

## FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement, with 2 anchorage points and automatic buckles

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAR22HAGT	Black	S/M/L	HAR22HA	3295249282783	13295249282780	5	1	8.06 kg	22.0 cm	48.0 cm	21.0 cm
HAR22HAXX	Black	XL/XXL	HAR22HA	3295249283094	13295249283091	5	1	8.26 kg	22.0 cm	48.0 cm	21.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height