



Fall protection

# SPIRAL AN208S200AD

## ENERGY ABSORBING LANYARDS

Compact, energy-absorbing lanyard with patented system guaranteeing freedom of movement for short distances



### Specific benefits



#### Hygiene

- Can wash harnesses and textiles with neutral soap



#### Performance

- Certification above maximum rated load 100kg; product certified at 140kg
- Webbing with better abrasion resistance and certified against sharp edges



#### Sustainability

- Heat shrinking sleeve extends the life of the lanyard

### Certifications and norms



EN355

HORIZONTAL CERTIFICATION  
RFU 11.062  
140 KG

### Applications

- Public Works
- Finishing Works/Craftsmanship
- Automotive
- Power Energy
- Storage



Fall protection

# SPIRAL AN208S200AD

## ENERGY ABSORBING LANYARDS

Compact, energy-absorbing lanyard with patented system guaranteeing freedom of movement for short distances

### Standards - Details

### Technical details

Type of equipment	Braided rope lanyard with thermoformable sheath
Composition of the main support	Steel, Polyamide, Polyester
Length	2 m
Rope diameter	10,5 mm
With connector	yes
Color	White-Black
Connector 1	Automatic lock hook, steel, opening 19mm
SIZE	2 m
Benefits element	Leading edge
Ending	2 sewn thimble loops
Connectors (structure side)	1 automatic lock hook, steel, opening 55mm
Lifespan from manufacturing	10 years
Weight	1,27 kg
Fall arrest work situations	Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m)
Lenght	6.5616 ft








Fall protection

# SPIRAL AN208S200AD

## ENERGY ABSORBING LANYARDS

Compact, energy-absorbing lanyard with patented system guaranteeing freedom of movement for short distances

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN208S200AD	White-Black	2 m	SPIRAL AN208S200AD	3295249265069	13295249265066	5	1	7.41 kg	29.5 cm	45.5 cm	17.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height