



Fall protection

# AN213200ZZZ

## ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard, made of high-impact webbing, for short distances



### Specific benefits



#### Hygiene

· Harnesses and textiles can be washed with neutral soap



#### Performance

· Strap with improved abrasion resistance and certified for use on sharp edges

· Certification above the maximum rated load of 100 kg; product certified at 140 kg

### Applications

- Public works
- Finishing works / Craftsmanship
- Automotive
- Power Energy
- Storage

### Certifications and norms



#### EN355

HORIZONTAL CERTIFICATION  
RFU 11.062  
140 KG

### Protects against risks



Fall



Fall protection

# AN213200ZZZ

## ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard, made of high-impact webbing, for short distances

### Standards - Details

### Technical details

|                                     |  |
|-------------------------------------|--|
| Type of equipment                   | Flat webbing lanyard   |
| Composition of the main support     | Steel, Polyester   |
| Length (m)                          | 2  |
| With connector                      | yes  |
| Color                               | Orange   |
| Connector (user side)               | Automatic lock hook, steel, opening 19mm   |
| Ending                              | 2 sewn thimble loops   |
| Connector (structure side)          | Crochet à verrouillage automatique, acier, ouverture 19 mm   |
| Lifespan from manufacturing (years) | 10   |
| Weight (kg)                         | 0,668  |
| Fall arrest work situations         | Vertical movement on a permanent structure, Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection |
| Lenght (ft)                         | 6.5616   |








Fall protection

# AN213200ZZZ

## ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard, made of high-impact webbing, for short distances

### Logistics information

| Reference   | Colour | Size | Designation | EAN13         | Box code       |  |  | Weight  |  |  |  |
|-------------|--------|------|-------------|---------------|----------------|---|---|---------|---|---|---|
| AN213200ZZZ | Orange | 2 m  | AN213200ZZZ | 3295249265090 | 13295249265097 | 5   | 1   | 5.63 kg | 22.0 cm   | 31.0 cm   | 16.0 cm   |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height