



AN208R2AD

UŽAD ZA AMORTIZACIJU PADA

Uže s podesivim apsorberom energije koji omogućuje podešavanje duljine i na taj način smanjenje neophodnog razmaka

Oprema protiv pada



Prednosti



Higijena

• Mogućnost pranja pojaseva i tkanine neutralnim sapunom



performanse

• Certificirano za maksimalno nazivno opterećenje veće od 100 kg:
proizvod certificiran za 140 kg
• Traka s boljom otpornošću na habanje i certificiran za oštre rubove

Područje upotrebe

- Javni radovi
- Pomoćni poslovi / Obrtništvo
- Automobilska
- Skladištenje

Certifikati i standardi



EN355

CERTIFIKAT ZA HORIZONTALNO KORIŠTENJE
RFU 11.062
140 KG

Štiti od



Pad



AN208R2AD

UŽAD ZA AMORTIZACIJU PADA

Uže s podesivim apsorberom energije koji omogućuje podešavanje duljine i na taj način smanjenje neophodnog razmaka

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Pleteno uže
Sastav glavnog nosača	Pocinčani čelik, Poliester
Duljina (m)	2
Podešavanje	Podesivo s pomoću podesive petlje na užetu
Promjer užeta (mm)	12
S priključkom	yes
Boja	Bijela-Crna
Spona (na strani korisnika)	Samozaključavajuća kuka, čelik, otvor 19 mm
SIZE	1.50 do 2 m
Dodatna pogodnost	Leading edge (vodeći rub)
Završetak	1 našivena petlja na naprsku
Spona (na strani konstrukcije)	1 kuka s automatskim zaključavanjem, čelična, s otvorom od 55 mm
Vijek upotrebe nakon datuma proizvodnje (godine)	10
Težina (kg) (kg)	1,27
Radne situacije za zaštitu od pada	Kretanje na horizontalnom sustavu učvršćenja (lifeline), Kratkotrajno vertikalno kretanje ili kretanje na kosoj podlozi (- 3m), Kratkotrajno horizontalno kretanje (- 3m)
Duljina (ft)	6.5616








Fall protection

AN208R2AD

ENERGY ABSORBING LANYARDS

Adjustable energy absorbing lanyard allowing the length of the lanyard to be adjusted and therefore reducing the air draft, if necessary

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN208R2AD	White-Black	1.50 to 2 m	AN208R2AD	3295249265052	13295249265059	5	1	7.6 kg	18.0 cm	29.4 cm	45.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height