



Fall protection

# AN208R2AD

## ENERGY ABSORBING LANYARDS

Adjustable energy absorbing lanyard allowing the length of the lanyard to be adjusted and therefore reducing the air draft, if necessary



### Specific benefits



#### Hygiene

· Can wash harnesses and textiles with neutral soap



#### Performance

· Certification above maximum rated load 100kg; product certified at 140kg  
· Webbing with better abrasion resistance and certified against sharp edges

### Applications

- Public Works
- Finishing Works/Craftsmanship
- Automotive
- Storage

### Certifications and norms



#### EN355

HORIZONTAL CERTIFICATION  
RFU 11.062  
140 KG

### Risk Protection



Fall



Fall protection

# AN208R2AD

## ENERGY ABSORBING LANYARDS

Adjustable energy absorbing lanyard allowing the length of the lanyard to be adjusted and therefore reducing the air draft, if necessary

### Standards - Details

### Technical details

|                                     |  |
|-------------------------------------|--|
| Type of equipment                   | Braided rope lanyard   |
| Composition of the main support     | Galvanized steel, Polyester  |
| Length (m)                          | 2  |
| Adjustment                          | Adjustable by means of a reducing loop on the rope   |
| Rope diameter (mm)                  | 12   |
| With connector                      | yes  |
| Color                               | White-Black  |
| Connector 1                         | Automatic lock hook, steel, opening 19mm   |
| SIZE                                | 1.50 to 2 m  |
| Benefits element                    | Leading edge   |
| Ending                              | 1 loop sewn thimble  |
| Connectors (structure side)         | 1 automatic lock hook, steel, opening 55mm   |
| Lifespan from manufacturing (years) | 10   |
| Weight (kg)                         | 1,27   |
| Fall arrest work situations         | Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m) |
| Lenght (ft)                         | 6.5616   |








Fall protection

# AN208R2AD

## ENERGY ABSORBING LANYARDS

Adjustable energy absorbing lanyard allowing the length of the lanyard to be adjusted and therefore reducing the air draft, if necessary

### Logistics information

| Reference | Colour      | Size        | Designation | EAN13         | Box code       |  |  | Weight |  |  |  |
|-----------|-------------|-------------|-------------|---------------|----------------|---|---|--------|---|---|---|
| AN208R2AD | White-Black | 1.50 to 2 m | AN208R2AD   | 3295249265052 | 13295249265059 | 5   | 1   | 7.6 kg | 18.0 cm   | 29.4 cm   | 45.2 cm   |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height