



Fall protection

RAH33

FALL ARRESTER HARNESSSES

Head down harness for descending head down in confined spaces



Applications

- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)
- Mining

Certifications and norms



EN1498

TYPE C

EN361

Protects against risks



Fall



RAH33

FALL ARRESTER HARNESSES

Head down harness for descending head down in confined spaces

Fall protection

Standards - Details

Technical details

Type of equipment	Head down harness
Adjustment	Adjustment loop
Number of attachment points	2
Anti-fall point	Dorsal, Sternal
Included elements	With rescue strap
Color	Black-Orange
Size	S/M/L
Lifespan from manufacturing (years)	10
Weight (kg)	2
Number of manual buckles	7
Sternal	1
Dorsal	1
Fall arrest work situations	Rescue and evacuation








RAH33

FALL ARRESTER HARNESSSES

Head down harness for descending head down in confined spaces

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
RAH33GT	Black-Orange	S/M/L	RAH33	3295249193775	13295249193772	5	1	12.3 kg	33.0 cm	80.0 cm	23.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height