



Fall protection

RAH33

HARNAIS ANTICHUTE

Head down harness for descending head down in confined spaces



Applications

- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Nafta in plin (pridobivanje)
- Rudarska industrija

Certifications and norms



EN1498
EN1498-C

EN361



Fall protection

RAH33

HARNAIS ANTICHUTE

Head down harness for descending head down in confined spaces

Standards - Details

Technical details

Type of equipment	Head down harness
Adjustment	Adjustment loop
Number of fall arrest attachment points	2
Anti-fall point	Dorsal, Sternal
Included elements	With rescue strap
Color	Črna-Oranžna
Lifespan from manufacturing	10 let
Weight	2 kg
Number of manual buckles	7
Sternal	1
Dorsal	1
Fall arrest work situations	Rescue and evacuation








RAH33

FALL ARRESTER HARNESES

Head down harness for descending head down in confined spaces

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
RAH33GT	Black-Orange	S/M/L	RAH33	3295249193775	13295249193772	5	1	12.3 kg	33.0 cm	80.0 cm	23.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height