



LO147150CDD

FRÂNGHII

Mijloc de legătură dublu de 1,5 metri cu conector cu deschidere mare, pentru versatilitate maximă și conectare la orice tip de structură

Protecție anticădere

Aplicații



- Construcții
- Finisaje / Bricolaj
- Întreținere
- Industria chimică
- Petrol și gaz (extragere)
- Industria minieră

Certificări și norme



EN354



LO147150CDD

FRÂNGHII

Mijloc de legătură dublu de 1,5 metri cu conector cu deschidere mare, pentru versatilitate maximă și conectare la orice tip de structură

Protecție anticădere

Detalii - Norme

Detalii tehnice

Tip de echipament	Coardă împletită
Compoziția suportului principal	Poliamidă
Lungime	1,5 m
Diametrul corzii	10,5 mm
Cu conector	da
Culoare	Alb
Conector (partea utilizatorului)	Carabinieră cu șurub, oțel, deschidere 18 mm
SIZE	1,50 m
Capăt	1 buclă cusută cu conector
Conector (partea structurii)	2 cârlige cu autoblocare, oțel, deschidere 55 mm
Perioada de valabilitate de la fabricare	10 ani
Greutate (kg)	1,4 kg
Situații de muncă cu protecție de oprire a căderii	Limitare
Lungime	4.9213 ft



Fall protection

LO147150CDD

LANYARDS

1.5 metre double lanyard with large opening connector, for maximum versatility and connection to any type of structure

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LO147150CDD	White	1.50 m	LO147150CDD	3660348006361	13660348006368	5	1	7.5 kg	20.6 cm	53.5 cm	14.5 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height