



Fall protection

LV400

DISPOSITIFS D'ANCRAGE

Telescopic pole with 5 sections for remote securing from the ground (2 to 8 metres)



Applications

- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Nafta in plin (pridobivanje)
- Rudarska industrija

Certifications and norms



Fall protection

LV400

DISPOSITIFS D'ANCRAGE

Telescopic pole with 5 sections for remote securing from the ground (2 to 8 metres)

Standards - Details

Technical details

Type of equipment	Telescopic rod
Composition of the main support	Glass Fiber
Max. length	8 m
Min. length	2 m
Adjustable length	Deployment with 5 sections,
Color	Rdeč-Fluo.Rumena
SIZE	Nastavljiva velikost
Lifespan from manufacturing	20 let
Weight	5 kg








Fall protection

LV400

ANCHORAGE DEVICES

Telescopic pole with 5 sections for remote securing from the ground (2 to 8 metres)

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LV400	Red-Fluorescent yellow	Adjustable	LV400	3660348006385	13660348006382	1	1	5.0 kg	8.0 cm	8.0 cm	207.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height