



# LO007150

## UŽAD

Uže od s cilindričnim omčama za maksimalnu svestranost

Oprema protiv pada

### Područje upotrebe

- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Nafta i plin (vađenje)
- Rudarska industrija
- Energija



### Certifikati i standardi



EN354

### Štiti od



Pad



# LO007150

## UŽAD

Uže od s cilindričnim omčama za maksimalnu svestranost

Oprema protiv pada

### Pojedinosti - Standardi

### Tehnički detalji

Vrsta opreme	Upleteno uže
Sastav glavnog nosača	Poliamid
Duljina (m)	1,5
Promjer užeta (mm)	12
Boja	Bijela
SIZE	1.50 m
Završetak	Našiven kraj s petljom na naprsku
Vijek upotrebe nakon datuma proizvodnje (godine)	10
Težina (kg) (kg)	0,198
Radne situacije za zaštitu od pada	Zadržavanje
Duljina (ft)	4.9213








# LO007150

## LANYARDS

Lanyard with thimble loop ends for maximum versatility

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LO007150	White	1.50 m	LO007150	3660348006101	0	15	1	3.8 kg	28.0 cm	44.0 cm	16.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height