



Proteção anti-quedas

# LO007150CD

CABOS

Correia de 1,5 metros com conector de grande abertura, para a máxima versatilidade e conexão em qualquer tipo de estrutura



## Área de utilização

- Edificação
- Segunda obra / Artesão
- Manutenção
- Petróleo e gás (extração)
- Indústria mineira
- Energia

## Certificações e normas



EN354

## Protege contra



Queda



# LO007150CD

## CABOS

Proteção anti-quedas

Correia de 1,5 metros com conector de grande abertura, para a máxima versatilidade e conexão em qualquer tipo de estrutura

### Detalhes - Normas

### Detalhes técnicos

Tipo de equipamento	Corda torcida
Composição do suporte principal	Poliamida
Comprimento (m)	1,5
Diâmetro do cabo (mm)	12
Com conector	sim
Cor	Branco
Conector (lado do utilizador)	Mosquetão com parafuso, aço, abertura 18 mm
SIZE	1,50 m
Acabamento	Extremidade de junção com argola revestida
Conector (lado da estrutura)	1 gancho com bloqueio automático, aço, abertura 55 mm
Vida útil a partir do fabrico (anos)	10
Peso (Kg) (kg)	0,850
Situações de trabalho antiqueda	Resgate
Comprimento (ft)	4.9213



# LO007150CD

## LANYARDS

1.5 metre lanyard with large opening connector, for maximum versatility and connection to any type of structure

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LO007150CD	White	1.50 m	LO007150CD	3660348006347	13660348006344	15	1	14.3 kg	29.0 cm	44.2 cm	24.4 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height