



Proteção anti-quedas

LO007150CD

CABOS

Correia de 1,5 metros com conector de grande abertura, para a máxima versatilidade e conexão em qualquer tipo de estrutura



Área de utilização

- Edificação
- Segunda obra / Artesão
- Manutenção
- Petróleo e gás (extração)
- Indústria mineira
- Energia

Certificações e normas



EN354



LO007150CD

CABOS

Proteção anti-quedas

Correia de 1,5 metros com conector de grande abertura, para a máxima versatilidade e conexão em qualquer tipo de estrutura

Detalhes - Normas

Detalhes técnicos

Tipo de equipamento	Corda torcida
Composição do suporte principal	Poliamida
Comprimento	1,5 m
Diâmetro do cabo	12 mm
Com conector	sim
Cor	Branco
Conector (lado do utilizador)	Mosquetão com parafuso, aço, abertura 18 mm
SIZE	1,50 m
Acabamento	2 argolas engatadas costuradas
Conector (lado da estrutura)	1 gancho com bloqueio automático, aço, abertura 55 mm
Vida útil a partir do fabrico	10 anos
Peso (Kg)	0,850 kg
Situações de trabalho antiqueda	Resgate



Fall protection

LO007150CD

LANYARDS

1.5 metre lanyard with large opening connector, for maximum versatility and connection to any type of structure

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LO007150CD	White	1.50 m	LO007150CD	3660348006347	13660348006344	15	1	14.3 kg	29.0 cm	44.2 cm	24.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height