



LO007150CD

FRÂNGHII

Mijloc de legătură de 1,5 metri cu conector cu deschidere mare, pentru versatilitate maximă și conectare la orice tip de structură

Protecție anticădere

Aplicații

- Construcții
- Finisaje / Bricolaj
- Întreținere
- Petrol și gaz (extragere)
- Industria minieră
- Energie



Certificări și norme



EN354



LO007150CD

FRÂNGHII

Mijloc de legătură de 1,5 metri cu conector cu deschidere mare, pentru versatilitate maximă și conectare la orice tip de structură

Protecție anticădere

Detalii - Norme

Detalii tehnice

| | |
|--|---|
| Tip de echipament | Coardă răsucită |
| Compoziția suportului principal | Poliamidă |
| Lungime | 1,5 m |
| Diametrul corzii | 12 mm |
| Cu conector | da |
| Culoare | Alb |
| Conector (partea utilizatorului) | Carabinieră cu șurub, oțel, deschidere 18 mm |
| SIZE | 1,50 m |
| Capăt | 2 bucle cusute cu conector |
| Conector (partea structurii) | 1 cârlig cu autoblocare, oțel, deschidere 55 mm |
| Perioada de valabilitate de la fabricare | 10 ani |
| Greutate (kg) | 0,850 kg |
| Situații de muncă cu protecție de oprire a căderii | Limitare |



Fall protection

LO007150CD

LANYARDS

1.5 metre lanyard with large opening connector, for maximum versatility and connection to any type of structure

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | | | Weight | | | |
|------------|--------|--------|-------------|---------------|----------------|----|---|---------|---------|---------|---------|
| LO007150CD | White | 1.50 m | LO007150CD | 3660348006347 | 13660348006344 | 15 | 1 | 14.3 kg | 29.0 cm | 44.2 cm | 24.4 cm |

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height