

FENNEC AN06310

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 10 metres



Specific benefits



Easy to use

· NFC system guarantees traceability

Applications

- Building
- Finishing works / Craftsmanship
- Maintenance

Certifications and norms



EN353-2







FENNEC AN06310

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 10 metres

Standards - Details

Technical details

Type of equipment	Stranded rope				
Composition of the main support	Steel, Stainless steel, Polyamide				
Maximum rope diameter	12 mm				
Maximum rope diameter	0.4716 inch				
Included elements	Wear indicator				
Color	White-Black				
SIZE	10 m				
Ending	1 loop spliced on high end				
Lifespan from manufacturing	20 years				
Weight	1,3 kg				
Fall arrest work situations	Movement on lifeline, Long vertical movement or movement on inclined surface, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure				







FENNEC AN06310

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 10 metres

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	
AN06310	White-Black	10 m	FENNEC AN06310	3660348004244	13660348004241	10	1	16.5 kg	



