EOLIEN HAR35

FALL ARRESTER HARNESSES

Fall protection



Certifications and norms

EN361

150 KG

EN358

150 KG

Protects against risks



Specific benefits



Comfort

- ·Thermoformed belt for optimal lumbar support and comfort
- · Soft padding on shoulders and thighs



Hygiene

· Harnesses and textiles can be washed with neutral soap



Performance

 \cdot Certification above the maximum rated load of 100 kg: product certified at 150 kg



Easy to use

· NFC system guarantees traceability

Applications

- Agriculture
- Building
- Chemical industry
- Oil & Gas (extraction)
- Mining
- Petrochemical





EOLIEN HAR35

FALL ARRESTER HARNESSES

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Polyester
Fastening	Buckles
Number of attachment points	3
Number of total holding attachment points	2
Buckles	Automatic loop
Anti-fall point	Dorsal, Sternal
Holding point	Belt
Color	Black-Orange
Benefits element	Comfort, Fall indicator
Lifespan from manufacturing (years)	10
Number of fall arrest anchorage points	2
Padding	Back, Belt, Leg, Shoulder
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection







EOLIEN HAR35

FALL ARRESTER HARNESSES

Fall protection

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
HAR35XX	Black-Orange	XL/XXL	EOLIEN HAR35	3295249181482	13295249181489	5	1	12.97 kg	33.0 cm	80.0 cm	23.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height