



Fall protection

AN430

FALL ARRESTERS ON ROPE

30 metre anchorage line in 10.5 mm braided rope for use with the AN068 and AN066 sliding fall arrest systems for long distances



Specific benefits



Hygiene

· Can wash harnesses and textiles with neutral soap



Ease of Use

· NFC system guarantees traceability

Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

Certifications and norms



EN 12841

TYPE A

EN353-2

Risk Protection



Fall



Fall protection

AN430

FALL ARRESTERS ON ROPE

30 metre anchorage line in 10.5 mm braided rope for use with the AN068 and AN066 sliding fall arrest systems for long distances

Standards - Details

Technical details

Type of equipment	Braided rope lanyard
Composition of the main support	Steel, Polyamide, Rubber
Length (m)	30
Rope diameter (mm)	10,5
Included elements	AN066 counterweight
Color	White
SIZE	30 m
Ending	1 loop sewn thimble
Lifespan from manufacturing (years)	10
Weight (kg)	2,9
Lenght (ft)	98.4241








Fall protection

AN430

FALL ARRESTERS ON ROPE

30 metre anchorage line in 10.5 mm braided rope for use with the AN068 and AN066 sliding fall arrest systems for long distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN430	White	30 m	AN430	3660348004534	13660348004531	5	1	16.0 kg	35.2 cm	52.2 cm	29.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height