



Fall protection

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring



Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

Certifications and norms

CE

EN 362 CLASS A

Protects against risks





enjoy s

Edit 02/11/2024 www.deltaplus.eu



AM022 CONNECTORS

opening for easy anchoring

Fall protection

Standards - Details

Technical details

Automatic lock karabiner that reduces the risk of mishandling and has a large

Type of equipment	Automatic lock carabiners
Composition of the main support	Steel
Length (m)	0,215
Gate opening (mm)	51
Opening (inch)	2.0044
Lock	Automatic system
Fastening	Automatic
Color	Steel
SIZE	One size
Lifespan from manufacturing (years)	20
Weight (kg)	1
Type of packaging	Pack of 2
Lenght (ft)	0.7054



enjoy so

Edit 02/11/2024 www.deltaplus.eu



AM022 CONNECTORS

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring

Fall protection

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight				
AM022X2V2	Steel	One size	AM022	3295249284794	13295249284791	10	1	10.39 kg	26.0 cm	32.5 cm	19.5 cm	



ſ

Multiple sales

Minimum sales

Box Width

👕 Box Depth

🗍 Box Height



enjoy sa

21/11/2024 www.deltaplus.eu