



TC716

THERMAL WELDING WORKS

Hand protection



Specific benefits

Performance

- The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)
- Extra thick and long for extra protection of the entire arm

Applications

- Javna dela
- Stavba
- Vzdrževanje
- Avtomobilska
- Začasno delo

Certifications and norms



EN 388
3 1 2 2 X

EN 12477
TYPE A



EN 407
4 1 2 X 4 X

Protects against risks



Heat



Wearing




TC716

THERMAL WELDING WORKS

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Special glove
Glove family	Cut and sewn leather palm / leather back
Mechanical glove kind	Cut and sewn
Special gloves kind	Welding
Arm level protection	Forearm cuff (< 400mm)
Cuff characteristic	Leather cuff
Benefits element	Reach
Color	Siva
Size	9, 10, 11








Safety gloves

TC716

THERMAL WELDING WORKS

Thick, thermal leather glove, ideal for welding work in heavy industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TC71609	Grey	09	TC716	3295249181000	13295249181007	120	12	29.4 kg	32.0 cm	87.0 cm	32.0 cm
TC71610	Grey	10	TC716	3295249181017	13295249181014	120	12	29.9 kg	32.0 cm	87.0 cm	32.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height